

## **Appendix 1: Full list of World Class Commissioning Outcomes Measures**

### **For all PCTS**

Average IMD (deprivation index) score

Life expectancy at time of birth, Years

### **Birth**

Infant Mortality rate per 1,000 live births, under one year old

Percentage of live births delivered by caesarean section

Number of live and still births where babies have weighed less than 2500 grams

Teenage conception rate per 1000 females, aged 15-17

Percentage of infants breastfed at 6-8 weeks

Percentage of women known to be smokers at the time of delivery

Antenatal screening: Percentage of parents who chose to have Downs Syndrome screening

### **Children**

Proportion of deliberate or unintended injuries to children or young people (per 10,000 aged under 19)

Proportion of children aged 2 who complete immunisation for Measles, Mumps and Rubella (MMR)

"Proportion of children who complete MMR immunisation (1st and 2nd dose) by their 5th Birthday "

"Proportion of children who complete DTP immunisation by their 5th Birthday "

### **Staying Healthy**

Male Life expectancy at time of birth, Years

Female Life expectancy at time of birth, Years

Directly standardised rates from chronic liver disease, including cirrhosis (ICD-10 K70, K73-K74) per 100,000, all ages

Rate per 100,000 of Diagnosed HIV infected patients

Smoking quitters Rate per 100,000 population aged 16 and over

Hypertension prevalence Unadjusted hypertension prevalence

Uptake of Pneumococcus vaccine: PPV Uptake in the 65 years and over and GP response rate by PCT for 2006/07 presented as total % uptake

Percentage uptake of influenza vaccinations by over 65s

% of all patients seen at a GUM clinic who were seen within 48 hours of contacting the service

### **Planned Care**

Cancer mortality rate Directly standardised rates from all malignant neoplasms (ICD-10 C00-C97) Premature mortality (under 75 years)

Proportion of women aged 53-64 offered screening for breast cancer Coverage of women aged 53-64 by PCO (less than 3 years since last test)

Proportion of women aged 25-64 screened for cervical cancer Coverage of women aged 25-64 (less than 3.5 years since last adequate test)

Percentage of patients first seen by a specialist within two weeks when urgently referred by their GP or dentist for suspected cancer

Proportion of patients waiting no more than 31 days for cancer treatment

Percentage of patients receiving their first definitive treatment for cancer within two months of urgent referral for suspected cancer

Percentage of patients seen within 18 weeks for admitted pathways

Percentage of patients seen within 18 weeks for non-admitted pathways

Self reported experience of patients & users: Quality of care received

Patient and user reported measure of respect and dignity in their treatment

Mortality rate from causes considered amenable to healthcare Directly age-standardised rates (DSR) per 100,000 European Standard population

## **Acute Care**

Stroke deaths within 30 days Deaths in hospital and after discharge between 0 and 29 days (inclusive) of an emergency admission to hospital with a stroke. Indirectly age and sex standardised rates per 100,000 persons

MRSA rate per 10,000 bed days

Clostridium Difficile rate per 1000 for patients aged over 65 years

Percentage of stroke admissions given a brain scan within 24 hours

Percentage of stroke admissions given a physiotherapist assessment within 72 hours

4-hour A&E waiting time target

Delayed transfers of care Percent of cases delayed of delayed transfer of care per 100,000

## **Mental Health**

Suicide & Injury Undetermined Intent Mortality Rate Directly standardised rates per 100,000 European standard population from intentional self-harm and injury undetermined whether accidentally or purposely inflicted (ICD-10 X60-X84, Y10-Y34 exc. Y33.9)

Drug treatment average waiting times in weeks of all treatments e.g. Rehab, GP specialist, outpatient etc.

Percent drug users recorded as being in effective treatment

Rate of hospital admissions per 100,000 for alcohol related harm

## **Long-Term Conditions**

Mortality from all ages and all causes presented as DSR per 100,000

COPD mortality. Directly standardised rates per 100,000 European standard population from bronchitis, emphysema and other chronic obstructive pulmonary

Diabetes mortality. Directly standardised rates per 100,000 standard European population for diabetes (ICD-10 E10-E14), all ages

CVD mortality. Directly standardised rates per 100,000 standard European population for all CVD mortality, (ICD10 I00-I99). Premature mortality (under 75 years)

CHD mortality. Directly standardised rates per 100,000 standard European population for all CHD mortality, (ICD10 I20-I25), all ages

COPD prevalence Percentage of all patients with COPD in a GP registered population

Diabetes controlled blood sugar. The percentage of patients with diabetes in who have an HbA1c of 7.5

CHD controlled blood pressure. The percentage of patients with coronary heart disease, in whom the last blood pressure reading (measured in the last 15 months) is 150/90 or less

CHD controlled cholesterol. The percentage of patients with coronary heart disease whose last measured total cholesterol (measured in the last 15 months) is 5 mmol/l

### **End of life**

Percentage of people screened for diabetic retinopathy

Palliative care prevalence unadjusted prevalence percent

Percentage of all deaths that occur at home as reported by Primary Care Organisation

Childhood Obesity

### **Local Priorities**

Early Access to Maternity Services  
Average IMD (deprivation index) score

Life expectancy at time of birth, Years